




I
M
E
N
S
I THE NEW AUDI Q8
O
N

TΗ

















































## Audi exclusive main colours1 Diamond silver Inspired by your individuality. Crimson red 't get a second chance to make a first impression. Seize this one and choose your own personal exterior paint finish from the wide range of Audi exclusive colours. Here's a small selection Many additional paint finishes can be found at www.audi.co.za Audi exclusive additional colours<sup>2</sup> Baikal blue Habano brown Audi exclusive accent colours<sup>3</sup> Calendula yellow Alaska blue ------------------Audi exclusive wood inlays Fine grain ash, nougat Audi exclusive Valcona leather upholstery and trim in black with contrasting stitching in iguana green. Audi exclusive controls in leather in black with contrasting stitching in The figures for fuel consumption and CO<sub>2</sub> emissions can be found on page 58. iguana green. Audi exclusive upper and lower interior elements in leather in black with contrasting stitching in iguana green. Audi exclusive wood inlays in oak, sepia. Audi exclusive <sup>1</sup>For instance for Audi exclusive Valcona leather upholstery and trim. <sup>2</sup>For instance for upper part of instrument panel, controls and door rail in Audi exclusive fine Nappa leather. carpets and floor mats in black with edging in black as well as piping and contrasting Please contact your Audi partner or visit www.audi.co.za for detailed information about standard and optional equipment. <sup>3</sup> For instance for edging, piping, contrasting stitching on seats and controls. stitching in iguana green



# Experience a presence. Combined with power.

With Audi wheels, you can emphasise your own individual style and the character of your new Audi Q8. Why not indulge yourself and create a powerful presence with your favourite design. And for peace of mind when out on the road: Audi wheels are subjected to special test procedures, undergo rigorous testing and are of superb quality.



The figures for fuel consumption and CO₂ emissions can be found on page 58.

Some of the equipment illustrated or described is optional equipment for which an extra charge is made. Please contact your Audi partner or visit www.audi.co.za for detailed information about standard and optional equipment.

- 01 20-inch cast aluminium wheels in 5-arm design
- **02 21-inch cast aluminium wheels in 5-arm star design,** contrasting grey, partly polished<sup>1</sup>
- 03 21-inch cast aluminium wheels in 5-V-spoke design (S design), contrasting grey, partly polished¹
- **04 22-inch forged milled wheels in 5-Y-spoke design,** contrasting grey, partly polished<sup>1</sup>

- 05 22-inch forged aluminium wheels in 5-twin-arm design, contrasting grey, partly polished<sup>1</sup>
- 06 22-inch Audi Sport cast aluminium wheels in 5-V-spoke star design in gloss anthracite black, gloss turned finish<sup>1,2,3</sup>
- 07 21-inch Audi Sport cast aluminium wheels in 5-arm turbine design in platinum look, gloss turned finish<sup>1,2</sup>



You will find specifications on the technical characteristics of tyres on page 59.

<sup>1</sup>Please note the special information relating to wheels on page 59. <sup>2</sup>From Audi Sport GmbH.

<sup>3</sup>For information on when this feature will be available, please contact your Audi partner.









Model	Q8 50 TDI quattro (210 kW)			
Engine type	V6 diesel engine with common rail injection system and turbocharging, Mild Hybrid Electric Vehicle (MHEV)			
Displacement in cc (valves per cylinder)	2,967 (4)			
Max. output¹ in kW at rpm	210/3,500-4,000			
Max. torque in Nm at rpm	600/2,250-3,250			
Power transmission				
Drive type	quattro permanent all-wheel drive			
Transmission type	8-speed tiptronic			
Weights/capacities				
Unladen weight² in kg	2,220			
Gross vehicle weight in kg	2,890			
Permissible roof load limit/ nose weight in kg	100/115			
Trailer load limit³ in kg unbraked 12 % gradient 8 % gradient	750 2,800 2,800			
Fuel tank capacity, approx. in l	75/AdBlue®4 tank: 24			
Performance/consumption				
Top speed in km/h	245			
Acceleration 0–100 km/h in s	6.3			
Fuel grade	Sulphur-free diesel <sup>5</sup>			
Fuel consumption <sup>6</sup> in l/100 km urban extra-urban combined	7.3-7.0 6.5-6.4 6.8-6.6			
CO₂ emissions <sup>6</sup> in g/km, combined	179-172			
Emission standard	EU6			

#### **Explanatory notes**

- <sup>1</sup> The figure given was calculated using the specified measuring procedure (current version of UN-R 85).
- Unladen vehicle weight includes driver (75 kg) and fuel tank 90% full, calculated in accordance with the current version of Reg. (EU) 1230/2012. Optional equipment may increase the car's unladen weight and drag coefficient, whereupon the possible payload limit and the top speed will be reduced accordingly.
- <sup>3</sup> The engine's power output always decreases with increasing altitude. At 1,000 m above sea level, and for every additional 1,000 m, deduct 10 % from the weight of the outfit (trailer load limit + gross weight of the towing vehicle). Figure for trailer load limit applies to factory-fitted trailer towing hitch. If using the vehicle with a trailer towing hitch for commercial purposes, a digital tachograph may be required under certain conditions.
- <sup>4</sup> Registered trademark of the Verband der Automobilindustrie e. V. (VDA).
- We recommend using sulphur-free diesel complying with DIN EN 590. If this is not available, use diesel complying with DIN EN 590.
- <sup>6</sup> The specified fuel consumption and emission data have been determined according to the measurement procedures prescribed by law. Since 1 September 2017, certain new vehicles are already being type-approved according to the Worldwide Harmonized Light Vehicles Test Procedure (WLTP), a more realistic test procedure for measuring fuel consumption and CO<sub>2</sub> emissions. Starting on 1 September 2018, the New European Driving Cycle (NEDC) will be replaced by the WLTP in stages. Owing to the more realistic test conditions, the fuel consumption and CO₂ emissions measured according to the WLTP will, in many cases, be higher than those measured according to the NEDC. For further information on the differences between the WLTP and NEDC, please visit our website. We are currently still required by law to state the NEDC figures. In the case of new vehicles which have been type-approved according to the WLTP, the NEDC figures are derived from the WLTP data. It is possible to specify the WLTP figures voluntarily in addition until such time as this is required by law. In cases where the NEDC figures are specified as value ranges, these do not refer to a particular individual vehicle and do not constitute part of the sales offering. They are intended exclusively as a means of comparison between different vehicle types. Additional equipment and accessories (e.g. add-on parts, different tyre formats, etc.) may change the relevant vehicle parameters, such as weight, rolling resistance and aerodynamics, and, in conjunction with weather and traffic conditions and individual driving style, may affect fuel consumption, electrical power consumption, CO<sub>2</sub> emissions and the performance figures for the vehicle.


The Fuel Consumption and Carbon Dioxide Emission Figures reflected were obtained in accordance with prescribed uniform measuring standards under laboratory type conditions. The measuring standards are stipulated by law. They do not apply to a specific vehicle and are provided to enable comparison between different vehicle models tested using the same uniform measuring standard. The values are accordingly not necessarily representative of real-life driving conditions. Factors such as driving style, vehicle load, road conditions, tyre size, traffic and ambient conditions may result in different fuel consumption and carbon dioxide emission levels to those achieved under the test parameters referred to above. More details are contained in the owner's manual.

Audi Q8 Dimensions in mm

Dimensions are for unladen vehicle weight. Luggage capacity<sup>1</sup> 605/1,755 l

(second value is with the rear seat backrest folded down and the vehicle loaded up to roof height). Turning circle approx. 13.3 m.

\*Maximum headroom. \*\*Elbow room width. \*\*\*Shoulder room width. \*\*\*Yehicle height with roof aerial.



#### Classifications of tyre parameters

The table shows the range of fuel efficiency, wet grip and exterior noise emission classes for the different tyre sizes of the Audi Q8.

Summer tyres	<b>Tyre size</b> 265/55 R 19	Fuel efficiency class	Wet grip class	Exterior noise emission class	
				73	<b>((+0)</b> )
	275/50 R 20	С	B-A	73-72	<b>((+3)</b> )
	285/45 R 21	С	В	73	<b>((-1)</b>
	285/40 R 22	С	А	75	<b>((-1)</b>
Winter tyres	265/55 R 19	В	В	73	<b>((·)</b> )
	265/50 R 20	С	В	73	<b>((-1)</b>
	285/45 R 21	С	С-В	75-73	<b>((+3)</b> )

It is not possible to order a specific tyre.

Ask your Audi partner about the range of tyres available in your country.

### Important note

**Special information about the wheels:** Wheels with gloss turned and gloss milled finish as well as polished or partly polished aluminium wheels must not be used in wintry road conditions. For manufacturing reasons, the rim surface does not have sufficient corrosion protection for such use and can be damaged permanently by road salt or similar.

Equipment for the Audi A8 illustrated (p. 2–35)

Paint finish: Dragon orange, metallic

Wheels: forged aluminium wheels in 5-twin-arm design, contrasting grey, partly polished<sup>2</sup> Seats/seat upholstery: customised contour seats, front, in Valcona leather, sard brown Inlays: flamed eucalyptus, natural basalt grey

The figures for fuel consumption and  $CO_2$  emissions can be found on page 58.

Some of the equipment illustrated or described is optional equipment for which an extra charge is made. Please contact your Audi partner or visit www.audi.co.za for detailed information about standard and optional equipment.

- <sup>1</sup> Technical specifications refer to a basic vehicle without country-specific features and the selected optional equipment.
- <sup>2</sup> Please note the special information relating to wheels on this page.



Auto-Union-Strasse 1 85045 Ingolstadt www.audi.com Date published: July 2018 The content of this brochure is for information purposes only. The brochure may contain vehicle models, images, specifications, accessories and options which are not available in South Africa. For more precise country specific information, please contact your local dealer for available models, product features, specifications and options (which are subject to change without notice).

The information contained in the brochure was correct to the best of our knowledge at the time of publication. Although we endeavour to ensure the accuracy of the information, errors may occur. Audi South Africa, a division of Volkswagen of South Africa (Pty) Ltd ("Audi SA") shall therefore not be liable for any loss or damage arising from any inaccuracies.

Printed in Germany 833/11N0.89.24

This brochure may not be reproduced, wholly or in part, without the written approval of AUDI AG in Germany.

