



People's expectation toward individual mobility requires more than just a convenient means of transportation. The old understanding of cars has become outdated. A car represents individuals' lifestyles, and it became an integral part of their lives. At the same time, the automobile industry has experienced seismic change. Hyundai Motor Company has grown rapidly to become one of the largest automakers, backed by world class production capability and superior quality. We have now reached a point where we need a qualitative approach to bring bigger ideas and relevant solutions to our customers. This is an opportunity to move forward and we have developed a new brand slogan that encapsulates our willingness to take a big leap. Led by our new slogan and the new thinking underlying it, we will become a company that keeps challenging itself to unlock new possibilities for people and the planet.

Hyundai Motor Company
<http://worldwide.hyundai.com>
GEN. LHD 1905 ENG.
Copyright © 2019 Hyundai Motor Company. All Rights Reserved.

COUNTY



Modern classic

On any road, in any city, County stands out with its distinctive and instantly recognizable style. Futuristic flair unites with versatility and efficiency to make County a modern classic among people movers. Drivers and passengers alike appreciate County's refined cabin atmosphere and abundant appointments that comfort at every turn. Accommodating 14 to 29 passengers depending on the seat layout and wheelbase (Standard or Long), County is rich in features that impress and satisfy.



Streamlined beauty

With its streamlined surfaces and gently rounded corners, County emulates an aircraft fuselage in its aerodynamics. Flush-fitting panoramic windows provide passengers with great unobstructed views of the passing scenery. The two-tone paint scheme and other graphic details reaffirm County's forward-looking style.



Front bumper with fog lamps
Front bumpers are color-matched with the lower body panels adding to the elegance of the presentation. Built-in fog lamps improve visibility in poor driving conditions.



Chrome-plated outside mirrors
Chrome electroplating transforms the ordinary into the extraordinary for a luxurious look. (Optional)

Fixed-type side glass
Fixed-type side glass looks almost seamless and greatly improves visibility for the passengers while enhancing overall elegance. (Optional)



Side repeaters
Amber side repeaters heighten visibility while enhancing the overall presentation.



Driver-centered design

Gauges and controls are ideally sized and logically arranged within the cockpit area to help the driver stay focused and alert. Every detail reflects good ergonomics and refined aesthetics to elevate driver and passenger comfort. The design of the entire ventilation system including the air conditioner and pre-heater has been completely revamped to raise HVAC performance standards.



Instrument panel / Steering wheel
Easy-to-read gauges and controls are perfectly proportioned and logically organized for effortless operation. As a final crowning touch, the steering wheel features a large flying “H” logo with a lustrous chrome finish.

Driver coat hook
This minor design detail helps keep the driver workspace organized while promoting driver professionalism.



Fuel filler door unlocking system
Conveniently located by the driver's side, this cable-actuated switch is a real timesaver during refueling stops.



Full-formed headliner
The headliner with its built-in oversized digital clock takes its inspiration from passenger car design to create a full-formed, elegantly contoured surface adding a light touch of prestige to the cabin. (Package option with A/C)



A perfect combination of form and function

From floor to ceiling, every interior detail reflects Hyundai's commitment to passenger comfort and convenience. Fabrics, headliner and other cabin materials are pleasant to the touch but highly durable while the color palette promotes a calming, soothing effect with fresh, subdued hues.



Overhead shelves
Neatly integrated overhead shelves provide passengers with a handy space to stow away their personal belongings. (Available with A/C package option on the deluxe model)



Air conditioning louvers and reading lamps
Adjustable louvered vents are installed over each passenger seat and the nozzles can be aimed as desired. Ducts have been enlarged to improve ventilation flow rates while adjustable LED-type reading lamps make for comfortable, relaxed travel. (Available with A/C package option on the deluxe model)



Passenger seat safety belts
Featuring a new and improved design that encourages buckling up, bus passenger seat belts are becoming an essential safety feature. (Can be deleted on the base model)

Bucket-type driver seat
Featuring a full range of adjustments and multi-density foam for optimal lower back and thigh support, the driver seat is a cradle of comfort that helps heighten driver alertness.


Lumbar support
The optional lumbar support feature improves comfort and reduces fatigue on long trips.





Smooth, Responsive and Economical

County comes with a wide choice of four-cylinder engines from the D4 diesel family: two naturally aspirated and five with intercooled turbocharging, all mated to Hyundai's smooth-shifting five-speed transmission, but choices are limited by Euro emission certification requirements. The flagship D4GA-I7 features common rail diesel injection for outstanding power — 170ps@2500rpm — and abundant torque — 62kg.m@1400rpm. Enhanced safety options include ABS with front disc brakes.



D4GA(TCI)

Displacement : 3,933cc

Euro5

Max. Power : 170ps/2,500rpm
Max. Torque : 62kg.m/1,400rpm

Euro4

Max. Power : 140ps/2,700rpm, 150ps/2,500rpm
Max. Torque : 38kg.m/1400rpm, 59kg.m/1,400rpm

The new CRDi(common rail direct injection) engine in the Hyundai produces 150ps and is capable of very fast acceleration with high torque even at low rpm.

D4DD_ Euro3 TCI Engine

140ps / 2,800rpm

Max. Torque : 38kg.m/1,600rpm
Displacement : 3,907cc



D4DB-d_ Euro2 TCI Engine

115ps / 2,900rpm

Max. Torque : 30kg.m/1,800rpm
Displacement : 3,907cc



D4DC_ Euro1

105ps / 3,200rpm

Max. Torque : 27kg.m/2,000rpm
Displacement : 3,907cc



D4DB_ TCI Engine

Euro1 (GEN)

155ps / 2,900rpm

Max. Torque : 38kg.m/1,800rpm
Displacement : 3,907cc

Euro1 (tropical/cold)

130ps / 2,900rpm

Max. Torque : 38kg.m/1,800rpm
Displacement : 3,907cc

Euro2 (tropical/cold)

130ps / 2,900rpm

Max. Torque : 30kg.m/1,800rpm
Displacement : 3,907cc



D4AF_General

100ps / 3,400rpm

Max. Torque : 24kg.m/2,000rpm
Displacement : 3,568cc







Extra-tough foundation


County simply loves punishment: Its solidly-built ladder frame is designed to withstand the roughest road conditions. The suspension is now beefier to better neutralize the shaking and shock typically encountered on poorly maintained roads. Body rust will remain a distant thought as the body shell is made from galvanized steel to maximize corrosion resistance. In the safety department, ABS and passenger seat belts are separately available as upgrade options.



Improved ladder frame
The new box-type ladder frame delivers significantly higher resistance against bending and torsional forces and represents a major improvement over the previous open-type channel rails.



Long-Span Tapered Rear Springs
Redesigned tapered leaf springs have been lengthened and fitted with new, improved dampers for a gentler, stabler ride that passengers will enjoy. (Only available with D4GA engine, Euro IV and higher)



ABS (Anti-Lock Braking System)
ABS instantly detects and prevents dangerous wheel lock which can cause the loss of directional stability. ABS brings the vehicle to a safe, controlled stop. (Package option with disc brakes)



Superior by design



Semi-cloth seats
Colorful woven cloth covers the cushion and backrest surfaces creating an upscale look while side/rear sections get a monochrome treatment for a pleasant, contrasting effect. Backrests include built-in headrests for added comfort.



Swing out-type door
The new door design enhances safety while complementing the clean simplicity of the body. It's also quieter and the driver will find the redesigned door switch easier to reach and operate. (Deluxe option)



Rear Luggage Compartment
The large rear tailgate, securely supported by dual gas-filled struts, lifts easily to provide generous amount of head clearance and easy access to the luggage space.



Double doors, double convenience



- 1. Wider aisles for extra standing room
- 2. Handrail stanchion




More convenience and efficiency
Adding the optional door not only improves passenger convenience but raises operational efficiency.



Automatic-folding door
Featuring a simple but highly reliable mechanism, the auto-folding door will provide years of trouble-free use. (Deluxe model)

Features



- | | | | | | | | |
|--|---|--|---|---|--|--|---|
| <ul style="list-style-type: none">• Full-size windshield wipers• Power Steering• Dual sun visors | <ul style="list-style-type: none">• Tilt adjustable steering• Ceiling-mounted speakers | <ul style="list-style-type: none">• Rear pillar garnish• Side door step• Telescopic steering• Easy-to-operate door switch | <ul style="list-style-type: none">• Painted rear bumper• Double locking system• Rear view mirror & overhead lamp• Spacious glove box | <ul style="list-style-type: none">• H-470 audio system (optional)• Digital clock• Roof-mounted electric ventilation fan | <ul style="list-style-type: none">• Handheld microphone (optional)• Roof-mounted ventilation /emergency hatch | <ul style="list-style-type: none">• H-420 Audio Systems• Free-flow cabin ventilation• Easy-access fuse box• Linoleum floor covering | <ul style="list-style-type: none">• Driver door storage pocket• Fluorescent cabin lamp• Power clutch• Radial tires & full wheel covers |
|--|---|--|---|---|--|--|---|

Specifications

Drive type		Left Hand Drive, 4 X 2									
Body type		STANDARD					LONG				
Door type		1				2	1				2
Seat capacity		14+1	15+1	18+1	24+1	16+1	24+1	26+1	28+1	29+1	19+1
Suspension type		Leaf / Rigid									
Trim		Deluxe / Standard									
Dimensions (mm)											
Overall	Lenght	6,350					7,085				
	Width	2,035									
	Height	2,630 (ROOF ELECTRIC VENTILATOR : 2,755)									
Wheel Base		3,350					4,085				
Wheel Tread	Front	1,705									
	Rear	1,495									
Overhang	Front	1,195									
	Rear	1,805									
Body Inside	Length	5,525					6,260				
	Width	1,910									
	Height	1,860									
Min. Ground Clearance		195									
Weight (kg)											
Seat capacity		24+1		24+1 (D4GA14 / 15 /17)		28+1		28+1 (D4GA14 / 15 /17)			
Empty Vehicle Weight		3,760 / 3,845 / 3,845 / 3,985		4,165 / 4,185		3,670 / 3,845 / 3,845 / 4,425		4,405 / 4,425			
* Max Gross Vehicle Weight		6,360		7,400		6,670		7,400			
	Front	2,260		3,000		2,570		3,000			
	Rear	4,100		4,400		4,100		4,400			
* Max.GVV includes the front & rear axle loads based on the permissible tire load.											
Calculated Performance											
Engine		D4AF	D4DC	D4DB-D	D4DB	D4DD	D4GA14	D4GA15	D4GA17		
Max. Speed (Km/h)		109	104	120	110	115	113	140	133		
Max. Gradeability (tanθ)		0.35	0.3	0.37	0.38	0.39	0.36	0.53	0.47		
Min. Turning Radius (m)		6.2					7.4				


- Annotations**
1) This vehicle specifications may differ per country and allow for production tolerance.
2) Empty vehicle weight includes weight of oil, fuel, coolant and spare tire carrier & bracket, spare tire but excludes standard tool set.
3) Hyundai Motor Company reserve the right to make change in specifications, equipments and design,or to discontinue models or options without notice at any time.

Chassis Specifications										
Engine model		D4AF	D4DC	D4DB-d	D4DB	D4DD	D4GA14	D4GA15	D4GA17	
Type		NA (natural aspiration)			TCI (turbo charger intercooler)					
		4 stroke-cycle, water-cooled, direct-injection diesel engine								
Number of Cylinder		4 in-line								
Piston Displacement (cc)		3,568	3,907				3,933			
Bore x Stroke (mm)		104 x 105	104 x 115				103 x 118			
Compression Ratio		18 : 1	18.1 : 1	18.5 : 1	18 : 1	17.5 : 1	17 : 1			
Max. Power** (ps/rpm)	General	100 / 3,400	-	-	-	-	-	-	-	-
	Euro I	-	105 / 3,200	-	155(Gen), 130(Tropic/ Cold)/2,900	-	-	-	-	-
	Euro II	-	-	115/2,900	130 / 2,900	-	-	-	-	-
	Euro III	-	-	-	-	140 / 2,800	-	-	-	-
	Euro IV	-	-	-	-	-	140 / 2,700	150 / 2,500	-	-
	Euro V	-	-	-	-	-	-	-	170 / 2,500	-
Max. Torque ** (kgm/rpm)	General	24 / 2,000	-	-	-	-	-	-	-	-
	Euro I	-	27 / 2,000	-	38 / 1,600	-	-	-	-	-
	Euro II	-	-	30 / 1,800	30 / 2,000	-	-	-	-	-
	Euro III	-	-	-	-	38 / 1,600	-	-	-	-
	Euro IV	-	-	-	-	-	40 / 1,400	59 / 1,400	-	-
	Euro V	-	-	-	-	-	-	-	62 / 1,400	-
Cooling System	General	Wax-pellet & bottom bypass type with thermostat, Water-cooling, Forced circulation by centrifugal water pump								
	Cooling fan	Polyamid & Suction type								
	Radiator	Corrugated fin type with pressure cap and condenser tank								
Electrical System	Battery	24V-80AH (24V-100AH: Cold Region only)								
	Alternator	24V-40A (OPT:24V-70A)					24V-55A (OPT : 24V-80A)			
	Starter	24V-5.0KW								
Fuel System	Injection pump	DooWon in-line		Denso / DooWon in-line		Denso common rail system				
	Fuel filter	Spin-on type								


** Max. power and torque of engine specifications may vary according to each country.

Line-up

County Standard



County Long



Color Guide



CK (Soft beige / Milky Brown)



MB (Scarlet Red / Soft Beige White)



EY (Soft Blue / Vanilla White)



HJ (Sunny Yellow)