

GO YOUR OWN WAY

ISUZU

DAAM

YOUR LIFE YOUR WAY

DRIVEN BY THE LEGENDARY ISUZU TURBO DIESEL ENGINE, THE D-MAX HAS ALL THE POWER AND PERFORMANCE YOUR LIFESTYLE DEMANDS.

Over a century of specialist engineering has gone into creating the reliable and rugged D-MAX. Combining power, efficiency and modern comforts, the D-MAX is a ute designed to handle whatever you throw at it, giving you everything you need to escape the everyday and own your next adventure.

The ever dependable Isuzu D-MAX. GO YOUR OWN WAY.

YOUR PIECE OF HISTORY



With a heritage stretching back to 1916, Isuzu Motors has the longest history of any Japanese vehicle manufacturer. Isuzu Motors is also one of the world's largest producers of commercial diesel engines, producing over 26 million engines to date and spanning light, medium and heavy weight classes. Isuzu diesel engines are relied upon by a number of top-level automobile manufacturers around the world for their superior performance and exceptional fuel economy.

The "pursuit of people's trust" is the underlying trait of product development at Isuzu. As a matter of principle, the vehicles we manufacture must be worthy of the trust of our drivers. This philosophy guides us in perfecting our technology and creating vehicles with a conscience.

The origin of our D-MAX ute can be traced back to the Isuzu Wasp in 1963, which was produced under the initiative to build a car that looked like a passenger vehicle, but functioned as a truck. Over the next 50 years, backed by record sales, Isuzu utes were exported to various markets around the world. Today, over two million people depend on Isuzu utes for their daily drives.





-

SUZU


D

.

1000

YOUR POWER TO PERFORM

ENGINE PERFORMANCE CURVE



ENGINE SPEED [rpm]



Isuzu 4JJ1-TC Hi-Power turbo diesel engine offers a maximum torque output of 430Nm and 130kW of power The Isuzu D-MAX range is powered by a highly refined 3-litre turbo diesel common rail engine which offers superior fuel efficiency thanks to low friction, fuel injection optimisation and a large front-mounted intercooler.

430Nn

TORQUE

3.51

TOWING*

This advanced Euro5-compliant unit generates 130kW of power and a peak torque output of 430Nm at a low 2000rpm. Consistent levels of torque are delivered through the majority of the rev-range, aiding with drivability and making towing up to 3.5 tonnes^{*} a breeze. Trailer Sway Control (TSC) is built-in across the D-MAX High Ride range to help you stay in control of what you're towing even if conditions become gusty. TSC will automatically apply the brake on individual wheels to counteract potentially dangerous swaying of the trailer – keeping you in control!

Mated to a 6-speed 'Rev-Tronic' automatic transmission with sequential sports mode, the automatic transmission features an adaptivelearning function which constantly monitors brake and throttle applications. This allows the transmission to automatically select the most appropriate shift points and lock-up points depending on the driver's behaviour, the vehicle's load and speed. A smooth shift 6-speed manual transmission is also available. It features a superior gear-lever pivot point, reducing gear-shift travel for a sportier feel.

Whether it's hauling big loads, powering through the work week, cruising through the weekend or going where the others won't, the Isuzu D-MAX will get you there and beyond.

*Braked towing on 4x4 and 4x2 High Ride models when fitted with an optional genuine Isuzu D-MAX tow bar kit.



Designed to recognise early signs of dangerous trailer sway, Trailer Sway Control (TSC) automatically applies the brake on individual wheels, as well as reducing engine torque, to bring the trailer safely back under control











Isuzu is fully committed to lowering emissions over the course of a vehicle's life cycle - from materials procurement to disposal and recycling. This philosophy is no better illustrated than in our Isuzu D-MAX.

For precise control over fuel injection timing and the quantity of fuel delivered, our common rail technology is unsurpassed. The Isuzu high pressure common rail technology ensures you burn minimal fuel while returning maximum performance, while the Variable Geometry System (VGS) turbocharger constantly adjusts to achieve maximum air compression from low RPM. This ensures minimal fuel usage and maximum torque throughout the rev-range.

The Isuzu D-MAX has further improved on its renowned fuel efficiency and performance after extensive wind tunnel testing at the Japan Railway Technical Research Institute where the Bullet Train is developed. This ensures the Isuzu D-MAX is the most aerodynamic yet with record low Cd (drag coefficiency) figures. This development has also realised an improvement in cabin noise levels adding to passenger comfort.

FUEL CONSUMPTION FIGURES		
Isuzu D-MAX Models		Combined Fuel Consumption $^{\Delta}$
Single Cab Models	A	7.5-7.7L/100km
	M	7.2-7.8L/100km
Space Cab Models	A	7.5-7.7L/100km
	M	7.8L/100km
Crew Cab Models	A	7.7-7.9L/100km
	M	7.8-8.1L/100km

A Automatic Transmission M Manual Transmission

^AFuel consumption and emissions figures based on ADR 81/02 (combined cycle test) and are to be used for vehicle comparison purposes only. Actual fuel consumption and emissions will vary depending on many factors including, but not limited to, traffic conditions, individual driving style and vehicle condition.

A Multi-Information Display of instant and average fuel consumption

- B Improved redesign of fuel injector pintle caps for optimum fuel efficiency
 - **C** Fuel efficient sequential shift 6-speed automatic transmission
 - D State-of-the-art aerodynamic exterior design, tested for minimal drag



HILL START HILL DESCENT ASSIST (HSA) CONTROL (HDC)









YOUR OWN ADVENTURE



With a "Terrain Command" 4WD select system, drivers can adjust between 2WD-high and 4WD-high modes while travelling at speeds of up to 100km/h, and 4WD-low for rugged terrain. Isuzu D-MAX drivers can comfortably tackle any environment with an electronic brake control that automatically engages the Hill Start Assist (HSA) to prevent vehicle roll-back when starting on steep gradients (above 5.7 degrees). Hill Descent Control (HDC) will give you the confidence to tackle any downhill terrain, giving you maximum traction on rough terrain. Steel underbody protection along with generous ground clearance adds further peace of mind when heading off-road.

The Isuzu D-MAX will redefine your spirit for adventure and allow you to go places you've never before dared. Independent double wish-bones with coil springs and gas shock absorbers guarantee superior front end grip and steering control. The rear suspension consists of long span leaf springs (under-slung on Low Ride models and over-slung on High Ride models) resulting in excellent traction and stability under every road condition - with or without loading.

- A HSA prevents roll back on gradients above 5.7 degrees, while HDC provides maximum traction going downhill
- B "Terrain Command" 4WD system allows for simple shift from 2WD-high, 4WD-high and 4WD-low
- **C** Large front brakes with ventilated disc
- **D** Steel underbody guards on sump and transfer case on 4x4 models

4x4 LS-U Crew Cab Ute in Magnetic Red mica

ISUZU

DIMAN







YOUR BOLD STYLE



With a commanding stance, the Isuzu D-MAX combines a metropolitan style with tough off-road ruggedness.

Muscular flared wheel arches and flowing lines create a balanced profile that not only looks the part, but is appropriately designed with the practical features required to fulfil your driving purpose – such as LED Daytime Running Lights (DRLs), ultra-bright LED taillights, and piercing projector headlights (standard on LS grade models). Pump your style up a notch with the top of the range LS-T with two-tone machined 18 inch alloy wheels as well as stylish roof rails built to take a load of up to 60kg.

Designed to stand out from the crowd, the exterior styling of the Isuzu D-MAX reflects the Go Your Own Way attitude.

- A The aerodynamic grille offers a stylish exterior for the powerful D-MAX engine
- **B** Projector headlights and DRLs are standard on LS grade models
- **C** LED rear taillights are standard on LS grade models
- D Two-tone machined 18" alloy wheels are standard on LS-T models
- E Roof rails, able to carry a load of up to 60kg, standard on LS-T models













YOUR ULTIMATE Convenience



At your fingertips you will find all the technology and modern conveniences you have come to expect in a new ute.

Every D-MAX offers a generous complement of standard equipment, including an audio system with iPod[®] and Bluetooth[®] connectivity for phone and audio streaming. All SX and LS models come equipped with a touchscreen audio as well as a reversing camera as standard. LS-U and top of the range LS-T models are equipped with touchscreen SatNav as standard.

All SX and LS models conveniently feature steering wheel cruise control and audio controls to help keep you focused on the road ahead. Remote keyless entry, power windows and mirrors are standard on SX and LS models. For the ultimate convenience, the top of the range LS-T comes standard with a Passive Entry and Start System so you can unlock and start your car without ever having to touch your key.

Thoughtfully-designed wider door arches and A-pillar assist grips allow for easy access to the cabin. Multiple cup holders and storage points throughout the cabin make it easy to store your gear. Including dual glove boxes and a centre console bin to make storing small or large items simple.

- A SatNav is standard on all LS-U and LS-T models
- B Passive Entry and Start System provides keyless locking and unlocking as well as an engine start/stop button (LS-T model only)
- **C** Reversing camera is standard on all SX ute and LS models (excluding SX cab chassis models)
- Dual glove boxes and multiple storage compartments give plenty of room for your gear (LS-T model shown)

The Bluetooth[®] word mark is owned by Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device. iPod[®] is a trademark of Apple, Inc.

4x4 LS-T Crew Cab interior featuring climate control, black leather accented seats[#] and Passive Entry and Start System

12:00

1

ISUZU





Behind the powerful exterior of every D-MAX lies a rich and spacious interior designed to keep you comfortable wherever your D-MAX takes you.

A large cabin interior across the range provides greater head and leg room for all passengers. A comfortably padded and contoured seat design with 'wraparound' bolsters provides increased shoulder, back and base support delivering more comfort for occupants. The top of the range LS-T adds an extra layer of luxury to the interior cabin with leather accented seats[#] as standard, along with a six-way adjustable electric driver's seat that will help you find the perfect driving position.

Keep yourself and your passengers cool and comfortable with air conditioning and a fine-particle pollen filter as standard across the range. LS-U and LS-T models feature climate control air conditioning as standard, keeping you and your passengers comfortable in every season.


- A Experience the ultimate comfort with leather accented seats[#] as standard on LS-T models
- B Six-way electric driver's seat lets you find the perfect driving position at the touch of a button (LS-T models only)
- Climate control air conditioning is standard on LS-U and LS-T models
- **D** Take the wheel in comfort in any D-MAX with a leather wrapped steering wheels standard on all models

*Seats have leather touches or accents, but are not wholly leather.



4x4 LS-T Crew Cab interior with black leather accented seats#

12





YOUR SUPERIOR SAFETY



The entire D-MAX range has been designed to keep you and your passengers safe with a host of active and passive safety features as standard, including 6 airbags (dual front, curtain and side), Electronic Stability Control (ESC), Traction Control System (TCS) and four channel four sensor ABS (Anti-lock Brake System) with EBD (Electronic Brakeforce Distribution), Emergency Brake Assist (EBA) and Trailer Sway Control (TSC). A high-strength tailor blank welded passenger safety cell with side impact anti-intrusion bars also increases occupant safety.


Further enhancing driver safety is a collapsible steering column and brake pedal, while pedestrian safety is increased with an impact absorbing bonnet design, recessed fog lamps and shatter resistant polycarbonate headlamp covers. All of this adds up to give 4x4 and 4x2 High Ride Crew Cab Isuzu D-MAX models a 5 star ANCAP safety rating⁻ to keep you safe whether you're hard at work or on an adventure.

A Included on all D-MAX models, Electronic Stability Control (ESC) detects if the vehicle is under or oversteering
B The cabin is constructed from high tensile tailor blank welded steel for unyielding strength and rigidity of the passenger safety cell
C For the essential safety and protection of all occupants - 6 airbags: dual front, curtain and side



5 star ANCAP safety rating applies to D-MAX 4x4 Crew Cab variants built from November 2013 and 4x2 High Ride Crew Cab variants built from November 2014.





YOUR TRUCK SPIRIT



The Isuzu D-MAX comes from a lineage of the world's toughest, most reliable workhorses. A truck-tough chassis means better balance and performance whether loaded or not, delivering superior stability and roadholding in all conditions. Isuzu has created over 26 million diesel engines around the world, engines that have been honed in trucks and light-commercial vehicles for generations, and under the hood of the D-MAX is a robust engine that won't let you down.

Over 4,000,000km of strenuous testing in searing heat, heaving rain, hail and even snow was conducted in the development of the Isuzu D-MAX to ensure it never lets you down.

As a testament to our immense confidence we have in building durable, reliable and efficient utes, every Isuzu D-MAX is backed by the Isuzu UTE Australia Service Plus Program which adds further peace of mind when it comes to protecting your investment. Designed with superior know-how you don't just get a ute, you get the tools to go your own way with every Isuzu D-MAX.

- A Advanced induction hardened liner technology eliminates the need for cylinder liners
- **B** Steel timing chain (not poly belt)
- **6** 6-speed automatic and manual transmissions with equal maximum torgue output (manual shown)
- **D** Sophisticated engine head; cam-to-valve roller bearings and variable swirl action gas flow
- E Variable Geometry System (VGS) turbocharger provides lower emissions and higher engine output
- **F** Large intercooler means greater thermo-cooling capacity
- G High pressure common rail fuel injection system minimises the amount of fuel needed in the combustion process, providing superior fuel economy
- H Independent double wishbone and gas shock absorber front suspension. Over slung rear springs for improved off-road operation on 4x2 High Ride and all 4x4 models (Heavy Duty suspension shown)







^6 years/150,000km (whichever occurs first), for Eligible Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. <6 years Roadside Assistance (unlimited kilometres) for Eligible Vehicles with a Warranty Start Date on or after 1/1/19. The Capped Price Servicing Program ("CPS Program") applies to Eligible Vehicles at Participating Isuzu UTE Dealers only. For 19MY & later vehicle models, the Capped Price Servicing covers the first 7 Scheduled Services for up to 7 years/105.000km (whichever occurs first), CPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/service-plus-disclaimer.







YOUR WORKHORSE



The Isuzu D-MAX is built to work hard for all professionals. Whether you're working the land, a building site or keeping the family on the go, the superior ladder chassis design provides a robust platform for all D-MAX variants. Dubbed the "i-GRIP" (Isuzu Gravity Response Intelligent Platform), this proven chassis has increased strength and rigidity by 42% over its predecessor, thanks to a larger side rail cross-section and the addition of 'cross member to chassis rail' braces. With improved stability while both loaded and towing, it ensures long term durability and sure-footed performance.

Our ingenious 'Space Cab' is a worker's best mate – it features convenient rear 'wing' doors to make cabin access even easier and pull-down 'jump' seats for additional passengers. For even more versatility, match your D-MAX with a genuine Isuzu D-MAX tray body. Choose from our range of alloy or steel trays and accessories so you're equipped to get the job done. To top it off, all SX and LS-M models come standard with tough 'All Terrain' tyres, which make light work of even the roughest of terrain, but also offer a smooth ride on-road with low road noise.

A Strong, durable yet light chassis design

- B Spacious rear cabin and rear 'wing' door access in Space Cab
- C Fold down rear seats in Space Cab with storage compartments
- **D** SX interior with 7" touchscreen and Bluetooth[®] audio streaming

The Bluetooth® word mark is owned by Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device.





YOUR WORK FLEET

From the outset of design, the entire D-MAX range has been engineered for a purpose, for reliability, durability and economy. With 21 D-MAX variants, there will always be a D-MAX to suit your specific requirements. Whether your fleet needs to go the distance on highways, the outback or construction sites, an Isuzu D-MAX will get them where they need to go and back again.

The D-MAX range has been engineered to be extremely efficient, with low fuel consumption from 7.2L/100km⁴. Lower fuel consumption means fewer trips to the fuel pump and valuable cost savings across your fleet.

Isuzu UTE's Dealer network spans every state and territory in Australia, including regional and remote locations, so support is always close at hand. Our dedicated team of fleet managers are always available to ensure that your fleet requirements are met.

Whether you are a one man operation or an international corporation, a D-MAX fleet will be equipped to suit all aspects of your business.

⁴Fuel consumption and emissions figures based on ADR 81/02 (combined cycle test) and are to be used for vehicle comparison purposes only. Actual fuel consumption and emissions will vary depending on many factors including, but not limited to, traffic conditions, individual driving style and vehicle condition.

From left: 4x4 SX Crew Cab Ute in Splash White. 4x4 LS-U Space Cab Ute in Titanium Silver metallic. 4x4 SX Single Cab Chassis in Splash White fitted with optional Heavy Duty Alloy Tray and Heavy Duty Alloy Ladder Rack Kit

YOUR ISUZU UTE BENEFITS

PURCHASING AN ISUZU D-MAX IS JUST THE START OF YOUR JOURNEY. YOU GET AN EVER-DEPENDABLE UTE AS WELL AS ACCESS TO SERVICES, I-VENTURE CLUB AND ACCESSORIES THAT WILL HELP YOU GO YOUR OWN WAY FOR LONGER.



Enjoy the ultimate peace of mind with Isuzu UTE's comprehensive Service Plus program. Every D-MAX comes with a bumper-to-bumper 6 years/150,000km[^] warranty, complimentary 6 years Roadside Assistance[<] to cover any unexpected bumps in your journey, and 7 years/105,000km of Capped Price Servicing[>] so you can enjoy 'no surprises' when servicing.

Through expert servicing with factory trained technicians, you will receive access to genuine servicing, genuine parts and genuinely great customer service. Your local Isuzu UTE service centre will keep your D-MAX performing at its best to help you go your own way.



If you purchase a 4x4 D-MAX you won't want to miss the opportunity to properly test its potential, and your mettle! Build your 4x4 skills and become the off-road champion you've always wanted to be with I-Venture Club. As an Isuzu UTE owner, you can sign up to exclusive trips that take you to some of Australia's most breathtaking and challenging off-road destinations.

Learn from our qualified 4x4 instructors, see the sights of some of Australia's best 4x4 tracks and come away with the skills to handle the toughest terrain a D-MAX can find.

Head to iventureclub.com.au to get a taste of what's to come!

GENUINE Accessories

Fit out your D-MAX with Isuzu UTE Genuine Accessories to go further and tackle more challenging terrains in true go your own way style. Isuzu UTE's extensive range of D-MAX genuine accessories lets you enhance and personalise your ute with precision-engineered accessories of the highest quality that ensure the correct fit, every time. Every genuine accessory comes with a comprehensive warranty¹ to give you the ultimate peace of mind.

Pack more, do more or just add a little more style to your D-MAX with Isuzu UTE Genuine Accessories. Check out the full range of accessories to help you go your own way, see the D-MAX Genuine Accessories brochure or isuzuute.com.au.

⁶ years/150,000km (whichever occurs first), for Eligible Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. ⁶ years Roadside Assistance (unlimited kilometres) for Eligible Vehicles with a Warranty Start Date on or after 1/1/19. ⁵The Capped Price Servicing Program ("CPS Program") applies to Eligible Vehicles at Participating Isuzu UTE Dealers only. For 19MY & later vehicle models, the Capped Price Servicing covers the first 7 Scheduled Services for up to 7 years/105,000km (whichever occurs first). CPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/service-plus-disclaimer. 'Warranty for Isuzu UTE Genuine Accessories fitted by an authorised Isuzu UTE Dealer at the point of sale of a new Isuzu UTE vehicle are covered for three (3) years or 100,000 kilometres, whichever occurs first; Isuzu UTE Genuine Accessories fitted by an authorised Isuzu UTE Dealer at the delivery of a new Isuzu UTE vehicle are covered for one (1) year or 40,000 kilometres from the date of accessory purchase, whichever occurs first; Isuzu UTE Genuine Accessories not fitted by an authorised Isuzu UTE Dealer are warranted from the date of purchase for one (1) year or 20,000 kilometres, whichever occurs first. Further details on warranties and associated disclaimers are available from Isuzu UTE Australia Pty Ltd upon request.



YOUR CHOICE

POWERFUL AND FUEL EFFICIENT, THE ISUZU D-MAX SX RANGE IS READY TO TACKLE ANY JOB THROWN ITS WAY.

4x2 SX Single Cab Chassis Low Ride and 4x4 SX Single Cab Chassis with optional General Purpose Alloy Tray in Splash White

SUZU

DIMAS

ISUZU

D-MAX SX CAB CHASSIS

THE SX CAB CHASSIS BANGE IS THE PERFECT CHOICE FOR DEMANDING FLEETS AND SMART BUSINESSES WITH VARIOUS TRAYS AND CONFIGURATIONS ON OFFER. AVAILABLE IN 4X2 AND 4X4 OPTIONS ACROSS ALL THREE CABIN TYPES.





CABIN TYPES





SX CAB CHASSIS KEY FEATURES

Leather steering wheel with cruise and audio controls

7" touchscreen audio system with USB and Bluetooth® audio streaming

Gun metal grey grille

Colour coded front bumper

Colour coded side mirrors

Power windows and electric mirrors

Remote keyless entry and central locking

16" silver-finish steel wheels with full size steel spare wheel (15" on Low Ride model)

All Terrain tyres 245/70 R16 (highway terrain tyres; 215/70 R15c on Low Ride model)

Heavy duty suspension on all cab chassis models

Model shown: 4x4 SX Single Cab Chassis in Titanium Silver metallic

D-MAX SX UTE

AT HOME ON CITY STREETS. WORKSITES AND OF COURSE THE OUTBACK. THE SX UTE RANGE IS AN IDEAL CHOICE FOR SAVVY BUYERS, AVAILABLE IN 4X2 HIGH RIDE, 4X4 AND IN SPACE AND CREW CAB OPTIONS.



DRIVETRAIN OPTIONS	CABIN TYPES
	SPACE CAB
4X4 4X2	

SX KEY FEATURES

Leather steering wheel with cruise and audio controls
7" touchscreen audio system with USB and Bluetooth® audio streaming
Reversing camera
Gun metal grey grille
Colour coded front bumper
Black rear-step bumper and lockable tailgate
Colour coded side mirrors
Power windows and electric mirrors
Remote keyless entry and central locking
16" silver-finish steel wheels with full size steel spare wheel
All Terrain tyres 245/70 R16
Cabin guard frame

Model shown: 4x4 SX Crew Cab Ute in Titanium Silver metallic

YOUR WAY

RELIABLE, STYLISH AND LOADED WITH FEATURES, THE D-MAX LS RANGE WILL GET YOU GOING YOUR OWN WAY IN STYLE AND COMFORT.

ISUZU

D-MAX

D-MAX LS-M UTE

THIS 4X4 CREW CAB IS READY TO TACKLE ANY TERRAIN AND GET YOU WHERE YOU NEED TO GO AND BACK AGAIN IN COMFORT. AVAILABLE AS A 4X4 CREW CAB.



DRIVETRAIN

4X4





CABIN TYPE

LS-M KEY FEATURES

touchscreen audio system with USB and Bluetooth® audio streaming	
eversing camera	
ojector headlights	
D daytime running lights	
ont fog lights	
eavy duty suspension	
" alloy wheels with full size steel spare wheel	
Terrain tyres 245/70 R16	
rome grille and door handles	
ack rear-step bumper	
ckable tailgate	
sy-clean vinyl flooring	

Model shown: 4x4 LS-M Crew Cab Ute in Titanium Silver metallic

D-MAX LS-U UTE

STEP INTO A MORE REFINED UTE WITH THE LS-U. EQUALLY SUITED FOR TACKLING WORKSITES OR CITY STREETS, THE LS-U IS EQUIPPED WITH EVERYTHING YOU NEED FOR WORK OR PLAY. AVAILABLE IN 4X4 SPACE CAB AND CREW CAB OPTIONS AND IN A 4X2 HIGH RIDE CREW CAB OPTION.









LS-U KEY FEATURES

SatNav

8" touchscreen audio system with USB and Bluetooth® audio streaming

Easy access side steps

Climate control air conditioning

Shark fin aerial

17" alloy wheels with full size steel spare wheel

Highway Terrain tyres 255/65 R17

Chrome side mirrors with fold in/out mode

Carpet flooring

Chrome rear-step bumper

Model shown: 4x4 LS-U Crew Cab Ute in Titanium Silver metallic

D-MAX LS-T UTE

STEP INTO A PREMIUM UTE WITH THE TOP OF THE RANGE LS-T. APPOINTED WITH REFINED FEATURES, THE LS-T WILL LET YOU CONQUER THE WORKDAY AND THE WEEKENDS IN TRUE STYLE AND COMFORT. AVAILABLE IN BOTH 4X4 AND 4X2 CREW CAB MODELS.



DRIVETRAIN	OPTIONS





LS-T ON TOP OF LS-U FEATURES

Passive Entry and Start System	
Leather accented seats#	
Six-way adjustable electric driver's seat	
Roof rails	
18" alloy wheels with full size alloy spare wheel	
Highway Terrain tyres 255/60 R18	

Model shown: 4x4 LS-T Crew Cab Ute in Titanium Silver metallic

All features mentioned are a guide for quick comparison. Refer to the D-MAX specification sheet for further details on available features.

*Seats have leather touches or accents, but are not wholly leather.

The Bluetooth® word mark is owned by Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device.

www.isuzuute.com.au Toll Free: 1300 147 898



This brochure should be read with the separate 19MY Isuzu D-MAX Specification insert. Isuzu UTE Australia Pty Ltd (ABN 80 129 563 739, 1000 Wynnum Road, Cannon Hill, Queensland, 4170, Australia) reserves the right to change specifications and content without notice, subject to any applicable Federal, State or Territory laws or regulations which may apply. Any accessories shown herein are illustrative and generally are optional at extra cost, not standard equipment. Colours depicted herein may differ from actual due to the printing process. Please refer to isuzuute.com.au or consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours and Isuzu UTE Genuine Accessories. No part of this brochure can be reproduced without the written permission from Isuzu UTE Australia.

-

All information is true and correct at the time of publishing, September 2019. Printed in Australia. Copyright Isuzu UTE Australia Pty Ltd 2019. Part No.: 6043756010 - 19MY D-MAX SALES BROCHURE

19MY ISUZU D-MAX SPECIFICATIONS



Engine	
Series	Isuzu 4JJ1-TC Hi-Power
Description	3.0 litre turbo diesel, in-line 4-cylinder, DOHC, 16-valve with Diesel Particulate Diffuser (DPD)
Maximum torque	430Nm @ 2000→2200 rpm (automatic and manual)
Maximum power	130kW @ 3600 rpm
Bore x stroke	95.4mm x 104.9mm
Displacement	2999сс
Compression ratio	16.3 : 1
Cylinder head	Isuzu-patent special aluminium alloy
Valve gear	Chain-driven dual overhead camshafts, roller rockers, 4 valves/cylinder
Induction	Electronic high pressure common rail direct fuel injection with Variable Swirl System (VSS) and intercooled Variable Geometry System (VGS) turbocharger
Cylinder block	Cast iron upper with induction-hardened cylinder bores, cast alloy lower
Emission level	Euro5
Alternator	90 amp with Intelligent Battery Sensor (IBS)

Transmissions

nunsinissions								
Manual	Isuzu MVL-6N 6-speed manual with high torque capacity and output reduction, 275mm diameter clutch plate							
Automatic	Aisin AWR6B45II 6-speed with sequential shift and brake shift lock electronically controlled, tri-mode with Adaptive Logic Control and fuel-saving lock-up torque converter on gears 3, 4, 5 and 6							
	 Uphill/Downhill Transmission Control System: holds gear on varied-gradient ascents, selects gear on steep descents to hold speed with engine braking 							
Ratios: 1		6-speed Manual	6-speed Automatic					
	1st 2nd 3rd 4th 5th 6th Reverse	4.942 2.430 1.428 1.000 0.749 0.634 4.597	3.600 2.090 1.488 1.000 0.687 0.580 3.732					
Final drive	4x2 Low Ride 3.416 4x2 High Ride & 4x4 3.727 Snorkelled diff breathers to increase fording depth and reduce mud blockage							
Transfer gearing	4x4 low-range 4x4 high-range	8						
4x4 system	"Terrain Command" control with 'shift on the fly' 2-high↔4-high selection at up to 100km/h							
Drivetrain system	TCS (Traction Control System) on all model variants							

Steering

Engine-speed-sensitive variable capacity power-assisted rack and pinion system; 3.80 turns (4x2 Low Ride model) and 3.84 turns (4x2 High Ride and 4x4 models) lock-to-lock via tilt-adjustable steering wheel

Chassis

Separate, full-length heavy-duty ladder frame chassis with 7 cross members on all models

Front suspension

4x2 SX Low Ride model: Independent, coil springs, gas shock absorbers, upper and lower wishbones, stabiliser bar

4x2 High Ride and 4x4 models: Independent, high-ride, coil springs, gas shock absorbers, upper and lower wishbones, stabiliser bar

Rear suspension

4x2 SX Space Cab Ute High Ride and LS-M models: Heavy Duty alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers

4x2 High Ride and 4x4 models: Alloy-steel overslung long-span semi-elliptic leaf springs; gas shock absorbers

All Cab Chassis models: Heavy Duty alloy-steel long-span semi-elliptic leaf springs; gas shock absorbers (Low Ride: underslung High Ride: overslung)

Axles

Front

Independent 4x4: fully floating with outer CV, inner double offset joints and equal length driveshafts

Gross Axle Weight: Low Ride 1250kg; High Ride 1350kg

Rear

Rigid semi-floating banjo with hypoid final drive and dual tapered needle roller bearings Gross Axle Weight: 1870kg

Brakes

Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD), Electronic Stability Control (ESC), Emergency Brake Assist (EBA), Trailer Sway Control (TSC - on 4x2 High Ride and 4x4 models only), Hill Start Assist (HSA) and Hill Descent Control (HDC)

Low Ride model: 280mm dia. ventilated front discs with 2-piston calipers, 295mm rear drums

4x2 High Ride and 4x4 models: 300mm dia. ventilated front discs with 2-piston calipers, 295mm rear drums

Power-assisted via 10.5" servo unit; central pull up park brake

Wheels and Tyres

4x2 SX (Low Ride)

15" x 6.5" drilled silver-finish steel; 215 / 70 R15c Highway Terrain

4x4 SX and 4x2 SX (High Ride)

16" x 7" drilled silver-finish steel; 245 / 70 R16 All Terrain

4x4 LS-M

16" x 7" alloy; 245 / 70 R16 All Terrain

4x4 LS-U and 4x2 LS-U (High Ride) 17" x 7" alloy; 255 / 65 R17 Highway Terrain

4x4 LS-T and 4x2 LS-T (High Ride) 18" x 7" alloy; 255 / 60 R18 Highway Terrain

LS-T models: full size alloy spare wheel All other models: full size steel spare wheel

Service Plus



Warranty

For the ultimate peace of mind, every Isuzu D-MAX comes standard with a comprehensive, bumper-to-bumper 6 years/150,000km warranty^.

Roadside Assistance

Complimentary with every new D-MAX is 6 years roadside assistance $^{\scriptscriptstyle <}.$

Capped Price Servicing

As an owner you will get access to our Capped Price Servicing[>] Program. The CPS Program covers the first 7 Scheduled Services in line with the Scheduled Service Intervals.

⁶ 9ears/150,000km (whichever occurs first), for Eligible Vehicles with a Warranty Start Date on or after 1/1/19. Excludes trays & accessories. ⁶ 9ears Roadside Assistance (unlimited kilometres) for Eligible Vehicles with a Warranty Start Date on or after 1/1/19. ⁵The Capped Price Servicing Program ("CPS Program") applies to Eligible Vehicles at Participating Isuzu UTE Dealers only. For 19MY & later vehicle models, the Capped Price Servicing covers the first 7 Scheduled Services for up to 7 years/105,000km (whichever occurs first). CPS Program is subject to change. For full terms & conditions, current pricing & model eligibility visit isuzuute.com.au/service-plue-disclaimer.

D-MAX FEATURES AND SPECIFICATIONS

SPECIFICATIONS		4x2						4x4								
	Single Cab	Single Cab	Space	Crew Cab	Crew	Crew	Crew	Single	Space							
	Chassis	Chassis	Cab Ute	Chassis	Cab Ute	Cab Ute	Cab Ute	Single Cab	Ċab	Space	Crew Cab	Crew	Crew	Crew	Crew	
Description	Low Ride	High Ride SX	High Ride SX	High Ride	High Ride SX	High Ride LS-U	High Ride	Chassis SX	Chassis SX	Cab Ute LS-U	Chassis SX	Cab Ute SX	Cab Ute LS-M	Cab Ute LS-U	Cab Ute LS-T	
	57	5X	57	5X	57	15-0	LS-T	57	5X	15-0	57	5X	LS-IVI	LS-0	125-1	
Engine 2999cc DOHC 4cyl. with intercooled turbocharger (430Nm, 130kW)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Transmissions			•		•			•		•	•			•		
6-speed manual transmission	•				_			•	•		•	•	•	•		
6-speed "Rev-Tronic" automatic transmission with sequential sport mode	-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Safety and Security																
4-channel 4-sensor Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)	٠	•	•	•	•	•	•	•	•	٠	•	•	•	•	٠	
Electronic Stability Control (ESC)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Traction Control System (TCS)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Emergency Brake Assist (EBA)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Trailer Sway Control (TSC)		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Hill Start Assist (HSA) Hill Descent Control (HDC)	•	•		•		•	•	•	•	•	•	•	•	•	•	
Reversing camera	• OPT	OPT		OPT			•	OPT	OPT		OPT	<u> </u>	•		•	
6 Airbags: dual front, curtain and side airbags	0F1	0F1														
Height-adjustable upper mounts for front seat belts	•	•					•									
Pre-tensioners with load limiters for front seat belts (*Dual pretensioners)	•	•	•	•*	•*	•*	•*	•	•	•	•*	•*	•*	•*	•*	
3-point retractable seat belts for all rear seating (*Centre seat not applicable)			•*	•	•	•	•	-	•*	•*	•	•	•	•	•	
Childseat tethers x 3 (rear - outer and centre)				•	•	•	•				•	•	•	•	•	
Height-adjustable head restraints for all full-size seats	•	•	•	٠	•	•	•	•	٠	•	•	•	٠	•	•	
Single 10.5 inch servo brake master cylinder	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	٠	
Side anti-intrusion bars inside all doors	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Engine immobilizer	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Warning alarm: headlights or parking lights on with ignition key removed	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Rear window demister			<u> </u>	•	•	<u> </u>	•		<u> </u>	<u> </u>	•	<u> </u>	•	•	•	
High Density Polyethylene (HDPE) fuel tank	•	•	•	•	•	•	•	•	•	•	•	•	•		•	
High mount brake light on cabin Dual horn	•						•	•					•	•	•	
Protection			•		•			•		•		•				
Under-front steel plate skid/splash shield (High Ride)		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Under-front aero cover (Low Ride)	•				•						•		•			
Steel plate guards: sump, transfer case, fuel tank leading edge; sheet steel under fuel tank	-							•	•	•	•	•	•	•	•	
Suspension and Brakes																
Standard rear leaf suspension					•	•	٠			•		•		•	•	
Heavy duty rear leaf suspension	•	•	•	•				•	٠		٠		۲			
Front independent, coil spring suspension, upper and lower wishbones and stabiliser bar	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Heavy-duty brakes: 300mm front discs w/twin-pot calipers, 295mm rear drums		•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Heavy-duty brakes: 280mm front discs w/twin-pot calipers, 295mm rear drums	•	_					_									
Seating			•					-	•		•					
Front bucket whiplash protection seats Leather accented seats (seats have leather touches or accents, but are not wholly leather)	•	•	•	•	•	•	•	•		•	•	•	•	•	•	
6-way adjustable electric driver's seat															•	
Height-adjustable driver's seat			•	•	•	•	•		•	•	•	•	•	•	•	
Split-fold rear seat with centre arm rest							•									
Rear twin pull-down jump seats			•						•	•						
Rear centre seat headrest				•	•	•	•				٠	•	٠	•	•	
In-cabin Storage																
Upper and lower glovebox compartments	•	•	•	٠	•	•	٠	•	٠	•	•	•	٠	•	•	
Power outlet in glovebox	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	
Centre floor console with rear flipout cup holder (*AT models only)				•	•	•	•				•*	•*	•	٠	•	
Dual-purpose driver and front passenger cup holder tray	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Rear passenger door cup holders				•	•	•	•				•	•	•	•	•	
Map pockets on backs of front seats			•	•	•	•	•		•	•	•	•	•	•	•	
Overhead console with twin map lights and flip-down sunglasses case		•	•	•	•	•	•	•	•	•	•	-	•	•	•	
Front door storage compartment with bottle bulge Two coat hooks	•	•					•	•		.		•			•	
Tool storage under rear flip-up seats							•									
			-	-	-					-	•			-		

OPT = Optional extra genuine accessory available

D-MAX FEATURES AND SPECIFICATIONS

Short front overhang for optimal manouvrability and approach angle		4x2								4x4									
Description	SPECIFICATIONS	Single	Single		Crew														
Description Description Part Marce Part		Cab	Cab	Space	Cab	Crew	Crew		Single	Space	Space	Crow Cab	Crow	Crow	0	0			
	Description	Low Ride	High Ride	Chassis	Chassis	Cab Ute	Chassis	Cab Ute	Cab Ute	Cab Ute	Cab Ute								
Data set in the late in th	•	SX	SX	SX	SX	SX	LS-U	LS-T	SX	SX	LS-U	SX	SX	LS-M	LS-U	LS-T			
<form>4 qook holds inds in the balance• • • • • • • • • • • • • • • • • • •</form>				•	_	•	•	•			•		•	•	•	•			
<form>Che jour during with wind have a strands and year a s</form>							-												
Shall to clonel mole output invariant magnetic bing output invariant magnetic		-		•		•							•						
Hoogen unit wolfgelsImage: Image:	Exterior Style																		
		•	•	•	•	•	•	•	•	•	•	•	٠	٠	•	•			
		•	•	•	•	•			•	•		•	•						
							•				•				-	-			
Chronel age radies grile																			
Conversion of provide on protein of Conversion of Conver								_			-			-		-			
ConcessionConstruction <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td></td> <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>-</td> <td>-</td> <td></td>		•	•	•	•	•			•	•	•	•	•	-	-				
Ror res bumper bar (Dorne) <t< td=""><td></td><td>-</td><td>•</td><td>•</td><td>•</td><td>-</td><td>•</td><td>•</td><td>•</td><td></td><td>•</td><td>-</td><td>-</td><td>•</td><td>•</td><td>•</td></t<>		-	•	•	•	-	•	•	•		•	-	-	•	•	•			
							•	-			•				-	•			
Ency access sink selps Back accor hands Chrome data mittakes with south sensor spenning and puch luxten tocking lighter sold) Chrome data mittakes with south sensor spenning and puch luxten tocking lighter sold) Chrome data mittakes with south sensor spenning and puch luxten tocking lighter sold) Chrome data mittakes with south sensor spenning and puch luxten tocking lighter sold) Chrome data mittakes with south sensor spenning and puch luxten tocking lighter sold) Chrome data mittakes with south sensor spenning and puch luxten tocking lighter sold) Chrome data mittake sensor spenning and puch luxten tocking lighter sold) Chrome data mittake sensor spenning and puch luxten tocking lighter sold) Chrome data mittake sensor spenning lighter sold) Chrome data mittake sensor spenning and puch luxten tocking lighter sold) Chrome data mittake sensor spenning lighter sold) Chrome data mittake sensor spenning with insegrated hear sold Chrome data mittake sensor spenning with insegrated hear sold Chrome data mittake sensor spenning with insegrated hear sold Chrome data mittake sold (boord with sold) Chrome data mittake sold (boord with sold) Chrome data mittake sold (boord with sold) Chrome data mitake sold (boord with sold)		-		•		•							٠	•					
Bick door handlake 				•						•	•								
Choore door and use with use hence opening and push halten looking liver side Cooker door and use with itergrated furn indicators Cooker dood power door mirrors with itergrated furn indicators Cooker doord power door mirrors with itergrated furn indicators Cooker doord power door mirrors with itergrated fuence/fuence Cooker doord power door mirrors with mitergrated fuence/fuence Cooker doord power door mitergrated f	Easy access side steps						•	•			•				٠	٠			
Choose door and taigate handes		•	•	•	•	•			•	•		•	•						
Lackable singlandImage and unindicatorsImage and unindicato								•								•			
Chrone toking poor door minors with integrated unindicators of columness of integrated unindicators of munices with integrated unindicators of munices with integrated unindicators of the set of the							-							-					
Columated power dorn minors with integrated turn indicatorsImage: Columated power dorn minors with integrated bask. If a set is a column of a column				•		•	-	-			· ·		•	•		-			
Colorade centre teer non-honuted shaft, fina elial <td <td="" <td<="" td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>•</td><td>•</td><td>-</td><td></td><td>•</td><td></td><td>-</td><td></td><td>•</td><td>•</td></td>	<td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>•</td> <td>•</td> <td>-</td> <td></td> <td>•</td> <td></td> <td>-</td> <td></td> <td>•</td> <td>•</td>							•	•	-		•		-		•	•		
Criter from: root-mouted besiting serial 			•	•	•	•	•	•	•	•	•	•	•	•	•				
Red rais (maximum load spacity 60kg)				-		•				•	•	-	•	-		•			
LED rar continuion langs China Anaendic Control alconditioning with integrated heater/demister Cineate control alconditioning with integrated heater/demister Pollen and fine particle air filter Power vindows with an etcud up/down diver's window with safety step and delay closing Power vindows with an etcud up/down diver's window with safety step and delay closing Contral locing with regrates entry Power vindows with an etcud up/down diver's window with safety step and delay closing Contral locing with regrates entry Power vindows with an etcud up/down diver's window with safety step and delay closing Contral locing with tervines entry Power vindows with an etcud up/down diver's window with safety step and delay closing Contral locing with tervines entry Power vindows with an etcud up/down diver's window with safety step and delay closing Contral locing with tervines entry Power vindows with an indicator lights Power vindows with a step and entry with an etcud up/down diver's window with safety step and delay closing Power vindows with a step and entry with tervines entry Power vindows with a step and entry with an etcud up/down diver's windo with with Safety filter Power vindows with a step and entry with and the down, etcar down and and contrals Power vindows with and entry with with Safety filter Power vindows with and entry with with safety filter Power vindows with and entry with tervines and and contrals Power vindows with with safety entry						•		•		•			•		-				
Charlate control isconditioning with integrated heard/demister							•				•			•	•	-			
Climate control accorditioning with integrated heater/demister	Cabin Amenities										-			-					
Pollen and fine particle art filter	Climate control air-conditioning with integrated heater/demister						٠	•			٠				•	•			
Power windows with networks window with safety step and delay closing Central locking with keyless entry Passive Entry and Start System Passive Entry and Start System A speaker sound system 4 speaker sound system 6 speaker sound system with Speakers Inounted in front dash, front doors, rear doors and rool) 7 inch touchscreen DVDCD/DMP3/FMAMAUX audio unit with USB, iPd4" input and Bluetooth* audio streaming Built in satellite navigation Bask sets USB charging port Titad justable steering wheel with power steering Leather wrapped steering wheel with ses speakers inounted, in pot doors, rear doors and rool With-information Dsplay, taid converter, trp odometer, S & B With-information Dsplay, taid converter, trp odometer, S & B With-information Dsplay, taid converter, trp odometer, S & B With-information Dsplay, taid converter, trp odometer, S & B Windscreen wipers with variable intermitert sweep mode Bynipht reinforms with writh gritegraphic rearriegraphic interverter Windscreen wipers with variable intermitert sweep mode Bynipht reinforms of the passenger Converter Windscreen wipers with variable intermiter sweep mode Bynipht reinformation Splay, fuel converter Windscreen wipers with variable intermiter sweep mode Bynipht reinformatint sweep mode <td>Manual air-conditioning with integrated heater/demister</td> <td>•</td> <td>٠</td> <td>٠</td> <td>٠</td> <td>•</td> <td></td> <td></td> <td>•</td> <td>٠</td> <td></td> <td>٠</td> <td>٠</td> <td>٠</td> <td></td> <td></td>	Manual air-conditioning with integrated heater/demister	•	٠	٠	٠	•			•	٠		٠	٠	٠					
Central locking, with keyless entryImage: Betry and Start SystemImage: Bet			•	•	•				•	•		•	•						
Passe junction Image: Construction		-	•	•	•		•	•	•	•	•	•	•			-			
Poweralysizable door mirrors with turn indicator lights 		•	•	•	•	•	•	•	•	•	•	•	•	•	•	_			
4 speaker sound system 								_	-							-			
6 speaker sound systemSky Sound" roof-mounted sound system with 8 speakers (mounted in front dash, front doors, rear doors and roof) <td< td=""><td></td><td>-</td><td></td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>-</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></td<>		-		•	•	•	•	•	-	•	•	•	•	•	•	•			
"Sty Sound" roof-mounted sound system with 8 speakers (mounted in front dash, front doors, rear doors and roof)			•	•					•	•	-								
7 inch touchscreen DVD/DD/MP3/FM/AM/AUX audio unit with USB, iPod [®] input and Bluetooth [®] audio streaming ● <td></td> <td></td> <td></td> <td></td> <td></td> <td>•</td> <td>•</td> <td>•</td> <td></td> <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td></td> <td>•</td>						•	•	•			•	•	•	•		•			
8 inch touchscreen DVD/CD/MP3/FM/AM/AUX audio unit with USB, iPod® input and Bluetooth® audio streaming		•		•		-			•	•			-						
Built-in satellite navigation Image: Sear USB charging port		•		-		•	•	•		•	•	-	•	•	•	•			
Back seat USB charging port Image: Constraint of the passenger stering wheel with power stering stering wheel with power stering stering stering wheel with power stering st		-					•	•			•				•				
Leather wrapped steering wheel with easy select cruise and audio controls							•	•			•			٠	•	•			
Multi-Information Display: fuel economy, gear shift indicator ¹ , odometer, trip odometers A & BImage: A & B & A & A & A & A & A & A & A & A &	Tilt-adjustable steering wheel with power steering	•	٠	٠	٠	•	•	•	•	٠	•	٠	•	٠	٠	٠			
Multi-Information Display: as above plus fuel range and service reminder, DPD operator regeneration indicator ● </td <td>Leather wrapped steering wheel with easy select cruise and audio controls</td> <td>•</td> <td>•</td> <td>•</td> <td>٠</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>۲</td> <td>٠</td> <td>٠</td> <td>•</td>	Leather wrapped steering wheel with easy select cruise and audio controls	•	•	•	٠	•	•	•	•	•	•	•	۲	٠	٠	•			
Electro-luminescent gauges		•	•	•	•	•			•	•		•	•						
Terrain command* 4WD select dial (2WD-high, 4WD-high and 4WD-low) Midscreen wipers with intermittent sweep mode Midscreen wipers with variable intermittent sweep mode Midscreen wipers wipers wipersweep wipersweep m							-				•			-	-	-			
Windscreen wipers with intermittent sweep modeImage: Swith variable intermittent sweep modeImage: Swith variable intermittent sweep modeDay/night interior rear view mirrorImage: Swith variable intermittent sweep modeImage: Swith variable intermittent sweep modeDay/night interior rear view mirrorImage: Swith variable intermittent sweep modeImage: Swith variable intermittent sweep modeSur visors with variaty mirror (passenger) and ticket retaining strap (driver)Image: Swith variaty mirrorImage: Swith variable intermittent sweep modeFixed A-pillar assist-grips for driver and front passengerImage: Swith variaty mirrorImage: Swith variaty mirrorFolding assist-grips for driver and front passengerImage: Swith variaty mirrorImage: Swith variaty mirrorFolding assist-grips for driver and front passengersImage: Swith variaty mirrorImage: Swith variaty mirrorFolding assist-grips for rear passengersImage: Swith variaty mirrorImage: Swith variaty mirrorCarpet flooringImage: Swith variaty mirrorImage: Swith variaty mirrorSwith variaty mirrorImage: Swith variaty mirrorImage: Swith variaty mirrorFolding assist-grips for rear passengersImage: Swith variaty mirrorImage: Swith variaty mirrorCarpet flooringImage: Swith variaty mirrorImage: Swith variaty mirrorSwith variaty mirrorImage: Swith variaty mirrorImage: Swith variaty mirrorSwith variaty mirrorImage: Swith variaty mirrorImage: Swith variaty mirrorSwith variaty mirrorImage: Swith variaty mirrorImage: Swith variaty mirrorSwith var							•	•			•								
Windscreen wipers with variable intermittent sweep modeImage: Constraint of the system of			-	-	-	-			-		•	-	-	•	•	•			
Day/night interior rear view mirror Image: Constraint of the constraint of		•	•	•	•	•			•	•	•	•	•	_	_	_			
Sun visors with vanit mirror (passenger) and tickt retaining strap (driver) Fixed A-pillar assist-grips for driver and front passenger Folding assist-grips for driver and front passenger Folding assist-grips for rear passengers Carpet flooring Carpet floor			•	•	•	•			•	•	-	•	•						
Fixed Apillar assist-grips for driver and front passenger Image: Comparison of the passenger Folding assist-grips for driver and front passenger Image: Comparison of the passenger Folding assist-grips for driver and front passenger Image: Comparison of the passenger Folding assist-grips for driver and front passenger Image: Comparison of the passenger Folding assist-grips for rear passengers Image: Comparison of the passenger Carpet flooring Image: Comparison of the passenger		-	-	•	•	•			•	•	•	•	•	-	-				
Folding assist-grips for driver and front passenger Image: Carpet flooring Image: Car			•	•	•	•	•	-	•	•	-	•	•	•	-	•			
Folding assist-grips for rear passengers Image: Carpet flooring Image: Carpet floorin		•	•	•	•	•	•	•	•				-	•	•	•			
Carpet flooring • • •					•	•	•	•			-	•	•	•	•	•			
Easy-clean vinyl flooring							•	•			•				•	•			
	Easy-clean vinyl flooring	•	•	•	•	•			•	•		•	•	•					

iPod® is a trademark of Apple Inc. The Bluetooth® word mark is owned by Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device. ¹Available on manual transmission vehicles only.

D-MAX BODY STYLES AND DIMENSIONS

■ 4x4 LS-T Crew Cab Ute & 4x2 LS-T Crew Cab Ute High Ride



4x4 LS-U Crew Cab Ute & 4x2 LS-U Crew Cab Ute High Ride






4x4 LS-M Crew Cab Ute









■ 4x4 SX Crew Cab Ute & 4x2 SX Crew Cab Ute High Ride








4x4 SX Crew Cab Chassis & 4x2 SX Crew Cab Chassis High Ride



✓ 4x2 SX Space Cab Ute High Ride








4x4 LS-U Space Cab Ute








4x4 SX Space Cab Chassis








4x4 SX Single Cab Chassis & 4x2 SX Single Cab Chassis High Ride








4x2 SX Single Cab Chassis Low Ride
















D-MAX FUEL, WEIGHTS AND DIMENSIONS

	4x2								4x4									
AND DIMENSIONS Description	Single Cab Chassis Low Ride SX	Single Cab Chassis High Ride SX	Space Cab Ute High Ride SX	Crew Cab Chassis High Ride SX	Crew Cab Ute High Ride SX	Crew Cab Ute High Ride LS-U	Crew Cab Ute High Ride LS-T	Single Cab Chassis SX	Space Cab Chassis SX	Space Cab Ute LS-U	Crew Cab Chassis SX	Crew Cab Ute SX	Crew Cab Ute LS-M	Crew Cab Ute LS-U	Crew Cab Ute LS-T			
D-MAX ADR 81/02 ^a Fuel Consumption Values																		
Transmission (MT = Manual, AT = Automatic)	MT	AT	AT	AT	AT	AT	AT	MT / AT	MT / AT	AT	MT / AT	MT / AT	MT / AT	MT / AT	AT			
FUEL CONSUMPTION (litres/100km)																		
Combined	7.2	7.5	7.5	7.7	7.7	7.7	7.7	7.8/7.7	7.8/7.7	7.7	7.8/7.9	8.1/7.9	7.8/7.7	8.1/7.9	7.9			
Urban	9.7	9.3	9.3	9.5	9.5	9.5	9.5	10.0/9.5	10.0/9.5	9.5	10.0/9.5	9.9/9.5	10.0/9.5	9.9/9.5	9.5			
Extra Urban	5.8	6.5	6.5	6.7	6.7	6.7	6.7	6.6/6.7	6.6/6.7	6.7	6.6/6.9	6.9	6.6/6.7	6.9	6.9			
<u>CO² (g/km)</u>	100		100					007/000	007/000		007/000	010/000	007/000					
Combined	190 253	198 246	198 246	203 250	203 250	203 250	203 250	207/203	207/203 262/250	203 250	207/209 262/251	213/209 261/251	207/203 262/250	213/209 261/251	209 251			
Urban Extra Urban	153	171	171	176	176	176	176	175/176	175/176	176	175/182	183/182	175/176	183/182	182			
Extra Urban	153	171	171	1/6	1/6	1/6	1/6	1/5/1/6	1/5/1/6	1/6	1/5/182	183/182	1/5/1/6	183/182	182			
Dimensions (mm unless stated otherwise)																		
Wheelbase	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095	3095			
Overall length	5040	5040	5295	5020	5295	5295	5295	5040	5020	5295	5020	5295	5295	5295	5295			
Overall width (excluding door mirrors)	1775	1860	1860	1860	1860	1860	1860	1860	1860	1860	1860	1860	1860	1860	1860			
Overall height (*depends on body fitted)	1685*	1780*	1780	1785*	1785	1855	1855	1780*	1780*	1850	1785*	1785	1785	1855	1855			
Front overhang	905	905	905	905	905	905	905	905	905	905	905	905	905	905	905			
Rear overhang (*depends on body fitted)	1040*	1040*	1295	1020*	1295	1295	1295	1040*	1020*	1295	1020*	1295	1295	1295	1295			
Front and rear track	1510	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570	1570			
Ground clearance	190 12.0	225	225	225 12.6	225 12.6	235	235	225	225	235	225 12.6	225 12.6	225 12.6	235	235 12.6			
Turning circle diameter between kerbs (metres) Approach angle	20.7°	12.6 29.5°	12.6 29.5°	29.5°	29.5°	12.6 30.0°	30.0°	12.6 29.5°	12.6 29.5°	12.6 30.0°	29.5°	29.5°	29.5°	30.0°	30.0°			
Departure angle	20.7 20.3°	23.5°	23.5 22.4°	23.5°	23.3 22.4°	22.7°	22.7°	23.5°	28.6°	22.7°	23.5°	23.3 22.4°	23.3 22.4°	22.7°	22.7°			
Ramp-over angle	17.3°	20.0 21.7°	21.7°	20.0 21.7°	21.7°	22.4°	22.3°	20.0 21.7°	21.7°	22.4°	21.7°	21.7°	21.7°	22.4°	22.3°			
· •	17.0	2	2	2	27		22.0	27	2		2,	2/	2/		22.0			
Load area (mm)	4005	1005	740	100	400	400	100	4005	740	740	100	400	400	100	100			
Cab to rear axle	1235	1235	740	430	430	430	430	1235	740	740	430	430	430	430	430			
Length (top) Length (floor) (*inside genuine accessory tray body)	- 2550*	- 2550*	1795 1825	- 1650*	1485 1552	1485 1552	1485 1552	- 2550*	- 1950*	1795 1825	- 1650*	1485 1552	1485 1552	1485 1552	1485 1552			
Maximum width (*inside genuine accessory alloy tray body)	1778*	1778*	1530	1778*	1532	1532	1530	1778*	1950	1530	1778*	1530	1532	1530	1532			
Width between wheel houses	-	-	1105	-	1105	1105	1105	-	-	1105	-	1105	1105	1105	1105			
Depth	_	-	465		465	465	465	-	-	465		465	465	465	465			
			400		400	400	400			400		400	400	+00	400			
Interior (mm)	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070			
Leg room - front	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070			
Leg room - rear	- 1460	- 1460	740 1460	915 1460	915 1460	915 1460	915 1460	- 1460	740 1460	740 1460	915 1460	915 1460	915 1460	915 1460	915 1460			
Shoulder room - front Head room - front	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460	1460			
	1005	1005	1005	1005	1005	1005	1005	1005	1005	1005	1005	1005	1005	1005	1005			
Mass (kg)	_																	
Gross Vehicle Mass (GVM)	2950	2950	2950	2950	2950	2950	2950	3050	3050	3050	3050	3050	3050	3050	3050			
Tare mass [#] (cab chassis models: final mass depends on body fitted)	1545	1600	1810	1750	1865	1870	1880	1680	1770	1925	1830/1835	1960	1945	1965	1970			
Kerb weight^	1601	1656	1866	1806	1921	1926	1936	1736	1826	1981	1886/1891	2016	2001	2021	2026			
Payload- (cab chassis models: final mass depends on body fitted)	1349	1294	1084	1144	1029	1024	1014	1314	1224	1069	1164/1159	1034	1049	1029	1024			
Gross Combination Mass (GCM)	5350	5850	5850	5850	5850	5850	5850	5950	5950	5950	5950	5950	5950	5950	5950			
Maximum towing mass (braked trailer)	2500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500	3500			
Maximum towing mass (non-braked trailer)	750	750	750	750	750	750	750	750	750	750	750	750	750	750	750			
Maximum tow ball download (fitted with genuine Isuzu UTE tow kit)	250 76	350 76	350 76	350 76	350 76	350 76	350 76	350 76	350 76	350 76	350 76	350 76	350 76	350 76	350 76			
Fuel tank capacity (litres)	/0	/0	/0	/0	/0	70	/0	/0	/0	/0	/0	70	/0	/0	/0			

^AFuel consumption and emissions figures based on ADR 81/02 and are to be used for vehicle comparison purposes only. Actual fuel consumption and emissions will vary depending on many factors including, but not limited to, traffic conditions, individual driving style and vehicle condition. [#]Tare mass - unladen mass of vehicle and 10 litres of fuel; excludes tray body for cab chassis vehicles. [^]Kerb weight - tare mass plus full tank of fuel. Fuel weight ratio is based on Fuel Standard (Automotive Diesel) Determination 2001. [^]Payload equals GVM minus kerb weight.

D-MAX COLOUR Options









Graphite Grey metallic



Magnetic Red mica



Obsidian Grey mica



Splash White



Titanium Silver metallic



SX Single Cab Chassis Black Cloth

SX, LS-M and LS-U Crew Cab and Space Cab Dark Grey Cloth

LS-T Crew Cab Ute Black Leather[#]



Please read with the 19MY Isuzu D-MAX vehicle brochure. All information is true and correct at the time of publishing, September 2019. Isuzu UTE Australia reserves the right to change specifications and features at any time. Colours depicted herein may differ from actual due to the printing process. Please refer to isuzuute.com.au or consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours and Isuzu UTE Genuine Accessories.

*Seats have leather touches or accents, but are not wholly leather.

GO YOUR OWN WAY